

TECHNICAL DATA SHEET



Birkenhead Trent Concealed Thermostatic Shower Valve, Trent faceplate

- [V34] Trent Concealed Thermostatic Shower Valve (with Rectangular Faceplate - Single Control)
- [T17] Outlet elbow (3/4
- [V21] Standard vertical riser (with one adjustable vertical riser wall bracket)
- [V19] Curved Shower arm for vertical riser mounting
- [V16] 6 Shower Rose
- [V35] Trent Faceplate with Cradle, Handset, Hose & 1/2
- [V31] Diverter with ceramic lever
- [V10-1] Ceramic Lever for shower valve (single)
- [V3] Birkenhead Valve Handle (single)

Product Specification

| | |
|---------------------|--------------------------------------|
| Finishes | Chrome plated |
| Product Type | Traditional |
| Material | Bodies are of all brass construction |

Additional Information

| | | | | | |
|-----------------|--------|--------|---------|---------|---------|
| System Pressure | .2 bar | .5 bar | 1.0 bar | 2.0 bar | 3.0 bar |
| Handset | 3.10 | 7.20 | 8.50 | 10.20 | 11.80 |
| Shower Rose | 4.00 | 8.20 | 10.00 | 12.00 | 14.10 |

Guarantee



See our website for terms and conditions

Compliance / Approvals

BS EN 1287:1999

Sanitary tapware. Low pressure thermostatic mixing valves. General technical specifications

BS EN 1111:1999

Sanitary tapware. Thermostatic mixing valves (PN 10). General technical specification



Image: 3-H34-V34-T17 & V35-V21-V19-V16-V31-V10-1-V3.png